

FIG. 2




FIG. 3





FIG. 4






FIG. 5









FIG. 7





F/G. 9A



1300 ൃ ർ E N L R K agaatctccgcaaga E N L R K agaatctccgcaaga D \times $^{\alpha}$ N L R gaatotoogoa 1290 D R R T E E E E Gaccgccgcacagagagagagagagacgcacaaaggaagaga വ ര ರಾ E E E 1280 шα D D R R T gaccggcgcaca 1270 00 00 00 00 00 00 00 00 ൯ PG R cctgggaga င်္လေ မရှာ ၁၈၈၈ ၁၈၈၈ ၁၈၈၈ ၁၈၈၈၈ 1260 中心 wild-type.seq 口由 BT-474.seq 4 p53 ref.seq FIG. 9B

Table 3,

Genes transcriptionally induced in BT-474 vs HT-125

| | o |
|---|-----|
| • | S |
| | တ္သ |
| | 뗏 |
| | 띪 |
| | ďΙ |
| | |

Vominal copy number: 500~1,000 copiecel

PS2 protein precursor X00474

Her2/neu tyrosine kinase receptor M1 1730

CDNA clone 128808 similar to Prohibitin R1 0066

Vominal copy number: 100-500 copies/cel

Franscobalamin |

Mitochondrial matrix protein P1 precursor M22382

cDNA clone 69022 similar to Keratin, type II cytoskeletal 8 154303

CD24 _33930

cDNA clone 71494 similar to Succinate dehydrogenase 151499

cDNA clone 80945 similar to NF45 Elongation factor 1 alpha-2 T70062 X70940

Human immunophilin M88279

Adipose specific protein

cDNA clone 209710 similar to Matrix GLA protein precursor D45370 H52207 L08044

ntestinal trefoil factor

X Box binding protein-1 M31627

Aldehyde dehydrogenase **U37519**

Hepatocyte nuclear factor-3 alpha U39840

KS1/4 antigen M26481

CDNA clone 46019 similar to MCM3 homolog H09351

151961

Proliferating cell nuclear antigen cDNA clone 74635 similar to Selenium-binding protein

Functional category

signal transduction other

structural/cytoskeletal transcription factor signal transduction ranslational mach. netabolic enz. mitochondrial

other other

secr. gr. fact. other

ranscription factor ranscription factor metabolic enz. other

JNA replication **ONA** replication

FIG. 10B

| | Nominal convinumber: 50-100 conjuice() | |
|--------|--|--------------------------|
| T67986 | cDNA clone 82030 similar to Clusterin precursor | cell ad./cell-cell comm. |
| U21931 | Fructose-1,6-biphosphatase | metabolic enz. |
| Z13009 | E-cadherin E-cadherin | cell ad./cell-cell comm. |
| M18216 | Nonspecific crossreacting antigen | other |
| U31875 | Hep27 protein | other |
| L02547 | Cleavage stim.factor | translational mach. |
| R89566 | cDNA clone 195338 similar to lamin B receptor | other |
| T98835 | cDNA clone 122341 similar to 80.7 KD alpha trans-inducing protein | other |
| R00451 | cDNA clone 123283 similar to Clathrin coat assembly protein AP47 | other |
| M34309 | Human epidermal growth factor receptor, HER3 | signal transduction |
| X73424 | Propionyl-COA carboxylase beta chain | metabolic enz. |
| X89985 | BCL7B | other |
| H00645 | cDNA clone 149859 similar to Ribonuclease inhibitor | other |
| H41017 | cDNA clone 192957 similar to Creatine kinase, ubiquitous mitochondiral precursor | mitochondrial |
| R85558 | cDNA clone 180221 similar to Inorganic pyrophosphatase | metabolic enz. |
| | Nominal copy number: 10-50 copies/cell | |
| H41006 | cDNA clone 177323 similar to Quinol oxidase polypeptide I | other |
| X51801 | OP-1, osteogenic protein | secr. gr. fact. |
| M69238 | Aryl hydrocarbon receptor nuclear translocator | transcription factor |
| X69392 | Ribosomal protein L26. | translational mach. |

FIG. 10C

| translational mach. | ceil ad,/ceil-ceil comm. | protein process. | other | other | structural/cytoskeletal | other | signal transduction | metabolic enz. | other | form other | cell-cycle | other | signal transduction | DNA replication | translational mach. | lated metabolic enz. | transcription factor | cell ad./cell-cell comm. | transcriptional mach. | transcription factor | other | cell ad./cell-cell comm. | other |
|---|-----------------------------------|--|-----------------------|--------|---------------------------------------|--|--|-------------------------------|----------|---|---|--|---------------------|-----------------|---|--|----------------------|---------------------------|---|---------------------------------|--|--|---|
| cDNA clone 166353 similar to Cleavage stimulation factor, 50 KD subunit | Leukocyte antigen related protein | cDNA clone 192943 similar to mouse Gamma-adaptin | HREV107-like protein. | h-Sp1 | cDNA clone 30646 similar to Verprolin | cDNA clone 172249 similar to Ankyrin R | cDNA clone 128901 similar to Tyrosine-protein kinase CSK | L-iditol-2 dehydrogenase gene | Lamin B1 | cDNA clone 40026 similar to ADP, ATP carrier protein, heart/skeletal muscle isc | cDNA clone 121357 similar to Cyclin-dependent kinase interactor 1 | cDNA clone 33477 similar to Phenylalkylamine binding protein | GHB-7 | BM28 | cDNA clone 113492 similar to Translational activator GCN1 | KIAA0089 Human mRNA gene for Mouse glycerophosphate dehydrogenase-re | hGATA3 | Platelet glycoprotein IIb | cDNA clone 36517 similar to Transcriptional regulatory protein RPD3 | Zinc-finger DNA binding protein | cDNA clone 131094 similar to Goliath protein | cDNA clone 238846 similar to Leukocyte antigen CD3 | cDNA clone 571035 similar to S-100P protein |
| R88418 | Y00815 | H41406 | X92814 | X68194 | R42070 | H19467 | R10620 | L29254 | M34458 | R53942 | T96666 | R44863 | D43772 | X67334 | T78606 | D42047 | X58072 | M34344 | R46731 | U33819 | R23246 | H64489 | T47377 |

FIG. 10D

| translational mach. metabolic enz. metabolic enz. transcription factor other other transcription factor signal transduction transcription factor signal transduction transcription factor signal transduction transcription factor other signal transduction transcription factor other signal transduction transcription factor other cell ad./cell-cell comm. transcription factor other signal transduction cell ad./cell-cell comm. transcription factor other signal transduction |
|---|
| cDna clone 44151 similar to Putative ATP-dependent RNA helicase 3-hydroxy-3-methylglutaryl coenzyme A synthase Sialyltransferase SThM cDNA clone 154654 similar to Galactoside 3(4)-L-fucosyltransferase C-myc Inducible protien Lipocortin-III cDNA clone 71549 similar to Purine nucleoside phosphorylase cDna clone 110564 similar to DNA-binding protein MEL-18 GPS1 Grancalcin cDna clone 508873 similar to DNA-binding protein MEL-18 GPS1 Grancalcin cDna clone 508873 similar to Guanine nucleotide diss. stim. Oestrogen receptor Cytokeratin 13 cDNA clone 270833 similar to Protein phosphatase PP2A Raf oncogene ERK activator kinase, MEK1 SOX-4 cDNA clone 156489 3' similar to Choline kinase Adenosine receptor (A2) Lung amiloride sensitive Na+ channel protein cDNA clone 35271 similar to NG-CAM related cell adhesion molecule C-myb Human mRNA (KIAA0039) for ORF cDna clone 203275 similar to Developmental protein seven in absentia cDna clone 151776 similar to Developmental protein seven in absentia |
| H05814 X83618 U14550 H55185 V00568 L47738 M20560 T47964 T90192 U20285 M81637 H19201 X03635 X52426 R37799 X03484 L11284 X70683 R72644 M97370 X76683 H1565 H1565 H1565 H1565 H1565 H1565 |

FIG. 10E

| other secr. gr. fact. other signal transduction signal transduction signal transduction signal transduction other other other cell ad./cell-cell comm. transcription factor transcription factor signal transduction signal transduction signal transduction signal transduction transcription/replication signal transcription/replication transcription/replication transcription/replication signal transcription/replication transcription/replication signal transcription/replication transcription/replication signal transcription/replication transcription/replication signal transcription/replication transcription/replication transcription/replication signal transcription/replication transcription/r | |
|--|--------------------------------------|
| Human mRNA (KIAA0029) for ORF Immediate early response protein B61 precursor Human T-cell receptor gamma chain VJCI-CII-CIII region 12S RNA induced by poly(rl), poly(rC) and Newcastle disease virus Human B lymphocyte serine/threonine protein kinase Ferrochelatase K-ras oncogene ERK tyrosine kinase Human dual specific protein phosphatase Secreted epithelial tumour mucin antigen Pancreatic carcinoma marker GA733-1 cDNA clone 39763 similar to Gamma-interferon-inducible protein IP-30 precursor Lutheran blood group glycoprotein. Human nuclear respiratory factor-2 subunit beta 1 Androgen receptor N1 Human nuclear respiratory factor-2 subunit beta 1 Androgen receptor N1 Human sinase, TTK cDNA clone 32974 similar to Serine/threnine-protein kinase STE20 Transcription factor ILF Gal-beta(1-3/1-4)GloNAc alpha-2.3-sialyltransferase Phosphogluconate dehydrogenase For Pig N-acety/glucosaminyl-phosphatidylinositol Novel growth factor receptor cDNA clone 32719 similar to E2 protein p70 ribosomal S6 kinase alpha-1 A kinase anchor protein S-AKAP84 cDNA clone 220505 similar to cell division protein kinase 5 cDNA clone 220505 similar to cell division protein kinase 5 cDNA clone 220505 similar to RE protein keratin, twoel povloskeletal 15 | U2 small nuclear ribonucleoprtein A' |
| D21852 M16768 X13956 U07349 D00726 M54968 D31661 U21108 X52228 X13425 C13045 U13045 M20132 U13045 M20132 U30255 D11466 M64347 M64347 H43936 M64347 H43936 M64347 H43064 M6724 U34074 H87205 X57348 | |

FIG. 10F

Nominal copy number: 1-10 copies/cell

| D63879 | Human mRNA for ORF (KIAA0196) | other |
|--------|---|-----------------------|
| | Gamma-glutamylcysteine synthetase (GCS) | metabolic enz. |
| | cDNA clone 148291 similar to Zinc finger autosomal protein | other |
| | Transcription factor TFIID subunit TAFII28 | transcriptional mach. |
| | cDNA clone 235891 similar to DNA polymerase beta | DNA replication |
| | Tyrosine kinase SEK receptor precursor | signal transduction |
| | Human mRNA for ORF (KIAA008) | other |
| | Human ankyrin G | other |
| | SIL mRNA | other |
| | Transcription factor TFIIE alpha | transcriptional mach. |
| | Amphiregulin | other |
| | Copper transporting ATPase | |
| | cDNA clone 230127 similar to D-beta-hydroxybutyrate dehydrogenase precursor | metabolic enz. |
| | p80-coilin | translational mach. |
| | Serine kinase, hPAK65 | |
| | cDNA clone 32410 similar to JNK activating kinase 1 | signal transduction |
| | Vitamin D3 receptor | |

FIG. 10G

| Functional category cell ad./cell-cell comm, protein process. | other other | structural/cytoskeletal structural/cytoskeletal ECM | cell ad./cell-cell comm. | cell ad./cell-cell comm. ECM protein process. | secr. gr. fact. other cell ad./cell-cell comm. | cell ad./cell-cell comm. protein process. | protein process. structural/cytoskeletal other | protein process. structural/cytoskeletal other | metabolic enz. structural/cytoskeletal DNA replication signal transduction |
|--|---|---|--|--|--|--|---|---|--|
| Genes transcriptionally repressed in BT-474 vs HT-125 Nominal copy number: 500-1,000 copies/cell cDNA clone 175539 similar to Galectin-1 cDNA clone 70133 similar to Glia derived nexin precursor | Nominal copy number: 100-500 copies/cell Placental calcium-binding protein Transforming growth factor-beta induced gene product | Colladenase type IV mBNA, 3' end | Human lysyl oxidase Interferon-inducible protein 1-8D | cDNA clone 122884 similar to Follistatin precursor Clone pHcol2A1 similar to Procollagen alpha 2(I)chain precursor cDNA clone 78034 similar to Metalloproteinase inhibitor 3 precursor | Connective tissue growth factor Connective tissue growth factor Con Connective tissue 152637 similar to Coagulation factor V precursor CDNA clone 73802 similar to Sparc precursor | Human decorin Cathepsin B | cDNA clone 252394 similar to Protein-lysine 6-oxidase precursor Moesin RTVP-1 | cDNA clone 120085 similar to Protease do precursor Collagen VI alpha-2 C-terminal globular domain. IGFBP6 | Placental cDNA coding for 5' nucleotidase cDNA clone 241122 similar to Tubulin beta chain DNA polymerase delta Caveolin-1 |
| Accession H41129 T51261 | | | | | | | | | X55740 H80342 U21090 Z18951 |

FIG. 10H

| | Nominal copy number: 50-100 copies/cell |
|--------|---|
| U39050 | Human mitogen-responsive phosphoprotein |
| H62466 | cDNA clone 209654 similar to Collagen alpha 3(VI) chain |
| X14787 | Thrombospondin |
| H45474 | cDNA clone 183508 similar to Peripheral myelin protein 22 |
| H29761 | cDNA clone 186308 similar to Annexin I |
| M11718 | Alpha-2 type V collagen |
| X12369 | Tropomyosin alpha chain, smooth muscle |
| T54317 | cDNA clone 69040 similar to RAS-related protein |
| U20280 | Cathepsin X |
| H23235 | cDNA clone 52096 similar to APDGFR precursor |
| R67072 | cDNA clone 140763 similar to GAP junction alpha-1 protein |
| R72104 | cDNA clone 155771 similar to Bone morphogenetic protein 1 precursor |
| U21128 | Lumican |

structural/cytoskeletal cell ad./cell-cell comm. signal transduction cell ad./cell-cell comm. structural/cytoskeletal structural/cytoskeletal signal transduction protein process, signal transduction cell ad./cell-cell comm. protein process.

FIG. 101

| translational mach. signal transduction structural/cytoskeletal | | | | protein process. | |
|---|--|---|---|--|---|
| Initiation factor 5A Cadherin-11 Caldesmon | cDNA clone 155241 similar to Vitellogeinin II precursor cDNA clone 82963 similar to Alpha-2 macroalobulin precursor | cDNA clone 151270 similar to Cathepsin L precursor Stromelysin | cDNA clone 69199 similar to Tissue inhibitor of metalloproteinases II precura Prolyl 4-hydroxylase albha subunit | cDNA clone 240954 similar to Plasma protease C1 inhibitor precursor cDNA clone 44616 similar to RAS-related protein ORAB-1 | Colony stimulating factor 1 receptor cDNA clone 121066 similar to M-phase inducer phosphatase 3 |
| M23419 L34056 M64110 X72012 | | | | | |

IG. 10J

| cell ad /cell-cell comm. | other | cell ad./cell-cell comm. | other | | signal transduction | other | М П | other | signal transduction | other | protein process. | protein process. | cell ad./cell-cell comm. | cell ad./cell-cell comm. | other | other | cell ad./cell-cell comm. | signal transduction | cell ad./cell-cell comm. | EOM | other | protein process | cell-cycle | cell ad./cell-cell comm. | cell ad./cell-cell comm. | other | EC. | other | FC. | | cell ad./cell-cell comm. | protein process. | |
|--|----------------|--------------------------|--|--------|--|------------------|--------------------------------|----------------------------------|---------------------|--------|---------------------------------|--|----------------------------|------------------------------|---------------------|---------------------------------|---------------------------------|-------------------------------|--------------------------|-----------|--------|-----------------------------------|--|--------------------------|---|--------|---------------------------|--|--------|---|--------------------------|--|------------------|
| Nominal copy number: 10-50 copies/cell | Adrenomedullin | | cDNA clone 131100 similar to Preprotein translocase secy subunit | | cDNA clone 118372 similar to CD44 antigen, epithelial form precursor | Aldose reductase | (LAMB 2) gene Laminin B2 chain | Interferon-induced 17 KD protein | lin-2 | PSG9 | Sphingomyelin phosphodiesterase | Membrane-type matrix metalloproteinase 1 | Lysyl oxidase-like protein | Heparan sulfate proteoglycan | Placental protein 5 | L-lactate dehydrogenase H chain | Fibrinogen beta chain precursor | Fibroblast activation protein | <u> </u> | Fibulin-2 | | Plasminogen activator inhibitor-2 | Wild-type p53 activated fragment-1, p21WAF1/CIP1 | C2 | cDNA clone 73645 similar to Myosin light chain kinase | | Pro-alpha1 (III) collagen | cDNA clone 231424 similar to Glutathione S-transferase P | | cDNA clone 76290 similar to Ubiquitin carboxyl-terjminal hydrolase isozyme L1 | OD81 antigen | CDNA clone 70213 similar to Alpha-1-antiproteinase F precursor | |
| V + 0 C C | D14874 | L35594 | R23249 | L13923 | T91563 | J05017 | M55210 | M13755 | U32114 | X17097 | X52679 | Z48481 | U24389 | M85289 | D29992 | Y00711 | R50499 | U09278 | H15811 | X82494 | H37925 | J02685 | U03106 | D13665 | T55741 | U18467 | X06700 | H56627 | T41199 | T59895 | T68426 | X13810 T50086 | ; ; ; ; |

FIG. 10K

| D28137 | Human mRNA for BST-2 | cell ad./cell-cell comm. |
|--------|--|--------------------------|
| | Latent TGF-beta binding protein | other |
| | Interferon-induced protein 6-16 precursor | other |
| | cDNA clone 66508 3' similar to Nuclear factor 1 clone PNF1/X | other |
| | Keratinocyte growth factor precursor | secr. gr. fact. |
| | Interleukin 6 | secr. gr. fact. |
| | Collagenase | protein process. |
| | p66shc | signal transduction |
| | KIAA0057 for ORF | cell-cycle |
| | cDNA clone 83635 similar to Endoglin precursor | signal transduction |
| | cDNA clone 78017 similar to Complement C1R component precursor | other |
| | hR-PTPu gene for protein tyrosine phosphatase | signal transduction |
| | cDNA clone 72466 similar to Alpha crystallin B chain | other |
| | Hematopoetic proteoglycan core protein | cell ad./cell-cell comm. |
| | N-acetylglucosaminyltransferase I | protein process. |
| | cDNA clone 220183 similar to EBNA-2 nuclear protein | transcription factor |
| | Pentaxin | other |
| | Interferon-induced 56 KD protein | other |
| | cDNA clone 136821 similar to Transforming growth factor beta 1 precursor | secr. gr. fact. |
| | Transcriptional regulator ISGF3 gamma subunit | transcription factor |
| | Tissue type plasminogen activator | cell ad./cell-cell comm. |
| | Brain-derived neurotrophic factor | other |
| | Human glutathione transferase M2 | other · |
| | Alpha-1 type XVI collagen | EOM |
| | MHC class I HLA-J | other |

FIG. 10L

| 30855 18707 | cDNA clone 76721 similar to Calcineurin B subunit isoform 1 Fra-1 | signal transduction transcription factor |
|----------------|---|---|
| | cDNA 203126 similar to Metallothionein-II | other etrictural/cytoskeletal |
| | Kinesin light chain | EDM MCH MCH |
| | cDNA clone 36200 similar to Tissue factor precursor | signal transduction |
| 29696 | Interleukin-7 receptor alpha chain precursor | structural/cytoskeletal |
| | cDNA clone 121916 similar to Calponin HZ, smooth muscle | cell ad /cell-cell comm. |
| 43953 | cDNA clone 33191 similar to Opioid binding protein | cell ad /cell-cell comm. |
| 16659 | cDNA clone 129622 similar to Tissue factor parnway immore | structural/cytoskeletal |
| 37019 | Smooth muscle cell calponin | cell ad./cell-cell comm. |
| 196322 | Gravin | other |
| 78624 | cDNA clone 113518 similar to Carbonyl reductase | |
| 160974 | GADD45 | protein process |
| 80209 | pcHDP7 | signal transduction |
| 162424 | Thrombin receptor precursor | signal transduction |
| 194513 | cDNA clone 197667 similar to STAT2 | other |
| /00523 | HLA-DR alpha | oinesi transduction |
| 165605 | cDNA clone 209780 similar to Prothrombin precursor | orotein process |
| (76488 | Lysosomal acid lipase | other |
| 312676 | cDNA clone 129303 similar to Complement factor H-like protein 1 precursor | metaholic enz. |
| (06985 | Heme oxygenase | gianal transdiction |
| 360908 | cDNA clone 42188 similar to protein-tyrosine kinase | other . |
| J25779 | Human chromosome 17q21 mRNA clone 694:2 | other |
| (12496 | Erythrocyte membrane sialoglycoprotein beta | signal transduction |
| / 150/ | | |

I.G. 10M

| sor signal transduction transcription factor other ECM signal transduction transcription factor | transcription mach. protein process. signal transduction | other | secr. gr. fact. | signal transduction | other | other | other | other | cell ad./cell-cell comm. | otner | protein process. | other | signal transduction | transcription factor | protein process | n | signal transduction | cell-cycle | celi-cycle | china interesting of contracting contracting contracting |
|--|--|--------|-----------------------------------|---|---|----------------------------|--|----------------------------------|--------------------------|---------------------|---|--------|--|----------------------|---|---|--|------------|------------|--|
| cDNA clone 40303 similar to Shc transforming protein 46.8 KD and 51.7 KD precursor signal transduction Homeobox protein Homeobox protein cDNA clone 199264 similar to LTR5 Retrovirus-related ENV polyprotein cDNA 114641 similar to Collagen alpha 3(VI) chain cDNA 114641 similar to RAS-related protein RHA1 signal transduction Two-handed zinc finger protein ZEB | Nominal copy number: 1-10 copies/cell cDNA clone 201757 similar to DNA-directed RNA pol I largest subunit cDNA clone 80145 similar to Proteolipid protein PPA1 clone 232946 similar to Serine/threonine-protein kinase SGK | | Complement component Cir OSF-1 | Human mRNA for beta-glucocorticoid receptor | cDNA clone 135146 similar to Glucose transporter type 3 | Nuclear autoantigen SP-100 | Human interferon gamma treatment inducible mRNA. | Interferon-gamma induced protein | Testican | Serum protein MSE55 | cDNA clone 67233 similar to Protein-tyrosine phosphatase 1B | | cDNA clone 137079 similar to CD30 ligand | TOX5T | cDNA clone 30543 similar to Antigen peptide transporter 1 | Human microfibril-associated glycoprotein | cDNA clone 111345 similar to SRC substrate P80/85 proteins | Cyclin G | | |
| R52961 M97676 R95874 T86469 R48243 U19969 | R99935 T64142 H74007 | H47650 | J04080 D90226 | X03348 | H32804 | M60618 | L13463 M26683 | M63838 | X73608 | M88338 | T52698 | U16307 | R35976 | X16665 | R42244 | U19718 | T85165 | R45687 | L22473 | |

Message quantities are expressed as nominal copy number per cell relative to hybridization intensities of known copy number spiked controls. Abbreviations: secr. gr. fact., secreted growth factor; ad., adhesion; comm., communication; mach., machinery; enz., enzyme; pross., processing; ECM, extracellular matrix.